



Araya, R., Zitko, P., Markkula, N., Rai, D., & Jones, K. (2018). Determinants of access to health care for depression in 49 countries: a multilevel analysis. *Journal of Affective Disorders*, 234, 80-88.
<https://doi.org/10.1016/j.jad.2018.02.092>

Peer reviewed version

License (if available):
CC BY-NC-ND

Link to published version (if available):
[10.1016/j.jad.2018.02.092](https://doi.org/10.1016/j.jad.2018.02.092)

[Link to publication record in Explore Bristol Research](#)
PDF-document

This is the author accepted manuscript (AAM). The final published version (version of record) is available online via Elsevier at <https://www.sciencedirect.com/science/article/pii/S016503271731399X?via%3Dihub>. Please refer to any applicable terms of use of the publisher.

University of Bristol - Explore Bristol Research

General rights

This document is made available in accordance with publisher policies. Please cite only the published version using the reference above. Full terms of use are available:
<http://www.bristol.ac.uk/red/research-policy/pure/user-guides/ebr-terms/>

Supplementary data for *Determinants of access to health care for depression in 49 countries: a multilevel analysis*

Supplementary Table 1. Percentage of missing data among variables included in the analysis

				Variable													
				Age	Sex	Place (zone)	Marital status	Education	Quintil	Asset Index	Occupation	GINI	LnGNI	Weights	Comorbidity	Depression Diagnosis	Depression Treatment
Country	N	n without missing variables	% of missing variables														
HIC	CZE	45	33	26.7%	0.0%	0.0%	0.0%	2.2%	0.0%	22.2%	0.0%	2.2%	0.0%	0.0%	0.0%	0.0%	0.0%
	ESP	509	472	7.3%	0.0%	0.0%	0.2%	2.4%	0.0%	2.6%	0.4%	0.0%	0.0%	1.6%	0.0%	0.4%	0.6%
	EST	68	66	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.9%	1.5%
	FIN	37	33	10.8%	0.0%	0.0%	0.0%	0.0%	0.0%	10.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	FRA	86	36	58.1%	0.0%	0.0%	5.8%	11.6%	39.5%	3.5%	3.5%	0.0%	0.0%	2.3%	0.0%	0.0%	1.2%
	HRV	57	55	3.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%
	IRL	33	12	63.6%	0.0%	0.0%	15.2%	42.4%	42.4%	3.0%	6.1%	0.0%	0.0%	0.0%	0.0%	0.0%	6.1%
	LUX	44	29	34.1%	0.0%	0.0%	0.0%	4.5%	29.5%	0.0%	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	2.3%
	PRT	160	84	47.5%	0.0%	0.0%	0.0%	18.8%	36.3%	1.3%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	0.6%
	SVK	65	51	21.5%	1.5%	0.0%	1.5%	0.0%	4.6%	7.7%	3.1%	0.0%	0.0%	1.5%	0.0%	1.5%	1.5%
	SWE	81	57	29.6%	0.0%	0.0%	0.0%	0.0%	16.0%	1.2%	7.4%	0.0%	0.0%	0.0%	0.0%	0.0%	13.6%
UMIC	BIH	67	54	19.4%	0.0%	0.0%	0.0%	0.0%	19.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.0%	3.0%
	BRA	663	591	10.9%	0.0%	0.0%	2.7%	1.7%	5.3%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.6%
	DOM	336	303	9.8%	0.0%	0.0%	0.0%	0.3%	6.3%	3.0%	0.3%	0.0%	0.0%	0.0%	0.3%	0.0%	0.3%
	KAZ	132	128	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.3%	2.3%
	LVA	47	44	6.4%	0.0%	0.0%	0.0%	0.0%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.1%	2.1%
	MUS	298	294	1.3%	0.0%	0.0%	0.0%	0.3%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.3%
	MYS	77	73	5.2%	0.0%	0.0%	0.0%	1.3%	1.3%	0.0%	2.6%	0.0%	0.0%	0.0%	2.6%	0.0%	0.0%
	NAM	170	144	15.3%	0.6%	0.0%	0.0%	7.6%	2.9%	1.8%	2.9%	0.0%	0.0%	0.6%	2.9%	0.0%	1.2%
	RUS	250	213	14.8%	0.0%	0.0%	0.0%	5.2%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.4%	10.0%	8.4%
	URY	128	124	3.1%	0.0%	0.0%	0.0%	0.0%	0.0%	2.3%	1.6%	0.0%	0.0%	0.0%	1.6%	0.0%	0.8%
	ZAF	83	61	26.5%	0.0%	0.0%	0.0%	2.4%	0.0%	8.4%	8.4%	3.6%	0.0%	0.0%	8.4%	0.0%	1.2%

					Variable													
		n	n without missing variables	% of missing variables	Age	Sex	Place (zone)	Marital status	Education	Quintil	Asset Index	Occupation	GINI	LnGNI	Weights	Comorbidity	Depression Diagnosis	Depression Treatment
LMIC	CHN	53	47	11.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	11.3%	5.7%
	CIV	127	67	47.2%	0.8%	0.0%	0.0%	0.8%	37.8%	1.6%	3.1%	0.8%	0.0%	0.0%	0.0%	3.9%	2.4%	10.2%
	ECU	213	102	52.1%	0.5%	0.0%	0.0%	0.0%	13.1%	4.7%	41.3%	1.9%	0.0%	0.0%	0.0%	41.3%	2.8%	5.2%
	GEO	165	145	12.1%	0.0%	0.0%	3.6%	0.0%	0.6%	0.0%	0.0%	2.4%	0.0%	0.0%	0.0%	0.0%	5.5%	3.6%
	IND	863	518	40.0%	0.1%	0.0%	0.2%	0.0%	16.9%	8.6%	13.8%	1.5%	0.0%	0.0%	2.7%	13.8%	3.4%	10.1%
	LKA	112	60	46.4%	0.0%	0.0%	0.9%	0.0%	12.5%	1.8%	14.3%	18.8%	0.0%	0.0%	2.7%	14.3%	8.9%	10.7%
	MAR	883	304	65.6%	0.0%	0.0%	11.0%	0.0%	60.8%	11.1%	11.0%	0.2%	0.0%	0.0%	18.1%	11.0%	0.3%	0.2%
	PAK	511	437	14.5%	0.0%	0.0%	0.0%	0.0%	8.4%	0.0%	1.8%	0.6%	0.0%	0.0%	2.0%	1.8%	1.8%	2.9%
	PHL	255	239	6.3%	0.0%	0.0%	0.0%	0.0%	0.8%	0.0%	0.8%	1.6%	0.0%	0.0%	0.0%	0.8%	2.0%	3.5%
	PRY	278	277	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.4%
	SWZ	179	131	26.8%	1.1%	0.0%	0.0%	0.0%	12.8%	3.9%	2.2%	6.7%	0.0%	0.0%	0.0%	2.2%	1.1%	1.7%
	TUN	361	313	13.3%	0.0%	0.0%	0.0%	0.0%	8.3%	2.2%	0.8%	0.6%	0.0%	0.0%	0.0%	0.8%	1.9%	2.2%
UKR	207	138	33.3%	0.5%	0.0%	10.1%	0.0%	1.4%	9.7%	23.7%	1.0%	0.0%	0.0%	12.1%	23.7%	3.4%	2.9%	
LIC	BFA	330	249	24.5%	0.3%	0.0%	0.0%	0.0%	21.5%	0.6%	3.0%	0.9%	0.0%	0.0%	0.0%	3.0%	0.3%	0.3%
	BGD	619	411	33.6%	0.0%	0.0%	0.0%	0.0%	31.2%	0.3%	1.5%	0.5%	0.0%	0.0%	0.0%	1.5%	1.3%	0.5%
	COG	325	138	57.5%	0.0%	0.0%	0.0%	0.0%	47.4%	7.1%	16.9%	7.7%	0.0%	0.0%	0.0%	21.8%	3.7%	3.4%
	COM	81	7	91.4%	0.0%	0.0%	0.0%	0.0%	2.5%	0.0%	90.1%	6.2%	0.0%	0.0%	0.0%	90.1%	0.0%	1.2%
	GHA	265	224	15.5%	0.4%	0.0%	0.4%	0.0%	5.7%	3.4%	6.8%	0.8%	0.0%	0.0%	0.4%	6.8%	0.4%	1.5%
	KEN	390	284	27.2%	0.3%	0.0%	0.0%	0.0%	7.4%	0.5%	2.3%	0.0%	0.0%	0.0%	3.1%	2.3%	1.8%	17.4%
	LAO	60	60	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	MLI	173	11	93.6%	2.9%	0.0%	0.0%	4.0%	91.3%	9.8%	6.9%	12.7%	0.0%	0.0%	2.9%	8.1%	2.9%	13.3%
	MRT	145	74	49.0%	0.7%	0.0%	1.4%	2.1%	40.7%	4.8%	6.2%	6.9%	0.0%	0.0%	2.8%	9.0%	1.4%	2.1%
	MWI	270	216	20.0%	0.7%	0.0%	0.4%	0.0%	15.9%	1.5%	1.1%	0.7%	0.0%	0.0%	0.4%	1.1%	0.4%	0.0%
	SEN	157	32	79.6%	2.5%	1.9%	12.1%	1.9%	59.2%	12.7%	5.7%	10.8%	0.0%	0.0%	14.0%	7.0%	2.5%	20.4%
	TCD	462	227	50.9%	0.4%	0.2%	0.2%	0.4%	34.0%	15.6%	4.8%	5.6%	0.0%	0.0%	0.6%	5.0%	1.5%	7.8%
	VNM	13	12	7.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	7.7%
	ZMB	214	190	11.2%	0.0%	0.0%	0.0%	0.0%	1.9%	0.0%	1.9%	0.5%	0.0%	0.0%	0.0%	1.9%	0.0%	7.0%
	Total		11.147	7.870	29.4%													

Supplementary table 2. Reason for exclusion of some countries

Country	Reason for exclusion (variable)
ARE	missing GINI
AUS	missing Place (zone: rural or urban)
HUN	missing Quintile and without Treatment for Depression
NLD	missing Place (zone: rural or urban)and analysis weights
NOR	missing Place (zone: rural or urban)
SVN	missing Place (zone: rural or urban) and analysis weights
TUR	missing Depression, Quintile of spending and Marital status
MMR	missing GINI
ZWE	missing LnGNlpcPPP
AUT	missing analysis weights
BEL	missing analysis weights
DEU	missing analysis weights
DNK	missing analysis weights
GBR	missing analysis weights
GRC	missing analysis weights
ITA	missing analysis weights
GTM	missing weight and missing Treatment for Depression
ISR	missing Treatment for Depression
MEX	missing Treatment for Depression
ETH	missing Treatment for Depression
NPL	missing Treatment for Depression

Supplementary table 3. Variance Partitioning Coefficient (VPC) and Median Odds Ratio (MOR) for identified cases of depression, by World Bank group of countries.

All countries	Variance	SE	VPC	MOR
Empty Model				
Level Country	1.37	0.30	29.5%	3.05
Level Individuals	3.29	-	70.5%	
Total variance	4.66		100.0%	
Model with Level1 variables				
Level Country	1.25	0.27	27.6%	2.90
Level Individuals	3.29	-	72.4%	
Total variance	4.54		100.0%	
High Income Countries				
Model with Level1 variables				
Level Country	0.98	0.47	22.9%	2.56
Level Individuals	3.29	-	77.1%	
Total variance	4.27		100.0%	
Upper Middle Countries				
Model with Level1 variables				
Level Country	0.50	0.23	13.2%	1.96
Level Individuals	3.29	-	86.8%	
Total variance	3.79		100.0%	
Lower Middle Countries				
Model with Level1 variables				
Level Country	0.69	0.29	17.4%	2.21
Level Individuals	3.29	-	82.6%	
Total variance	3.98		100.0%	
Low Income Countries				
Model with Level1 variables				
Level Country	0.83	0.383	20.1%	2.38
Level Individuals	3.29	-	79.9%	
Total variance	4.12		100.0%	

SE: standard error

Supplementary table 4. Variance Partitioning Coefficient (VPC) and Median Odds Ratio (MOR) for treated cases of depression, by World Bank group of countries.

All countries	Variance	SE	VPC	MOR
Empty Model				
Level Country	1.10	0.28	25.1%	2.71
Level Individuals	3.29	-	74.9%	
Total variance	4.39		100.0%	
Model with Level1 variables				
Level Country	1.04	0.27	24.1%	2.64
Level Individuals	3.29	-	75.9%	
Total variance	4.33		100.0%	
High Income Countries				
Model with Level1 variables				
Level Country	0.18	0.22	5.1%	1.49
Level Individuals	3.29	-	94.9%	
Total variance	3.47		100.0%	
Upper Middle Countries				
Model with Level1 variables				
Level Country	0.26	0.17	7.4%	1.63
Level Individuals	3.29	-	92.6%	
Total variance	3.55		100.0%	
Lower Middle Countries				
Model with Level1 variables				
Level Country	1.03	0.48	23.8%	2.62
Level Individuals	3.29	-	76.2%	
Total variance	4.32		100.0%	
Low Income Countries				
Model with Level1 variables				
Level Country	1.19	0.642	26.6%	2.82
Level Individuals	3.29	-	73.4%	
Total variance	4.48		100.0%	

SE: standard error

Supplementary table 5. Estimated country-level proportions of ‘identified cases’ of depression during the past 12 months, grouped by economic development (World Bank criteria).

n= 7.870
nCo= 49

	Prev	LCI	UCI	n
HIC				
CZE	30.4%	8.9%	51.9%	33
ESP	66.1%	60.4%	71.8%	472
EST	39.2%	26.2%	52.2%	66
FIN	72.5%	56.0%	88.9%	33
FRA	75.5%	54.9%	96.0%	36
HRV	37.7%	22.0%	53.4%	55
IRL	65.8%	30.1%	101.4%	12
LUX	66.6%	49.5%	83.7%	29
PRT	66.0%	53.3%	78.6%	84
SVK	4.9%	-0.8%	10.6%	51
SWE	80.3%	65.4%	95.3%	57
Total	66.4%	58.0%	74.8%	928
UMIC				
BIH	47.6%	28.2%	67.0%	54
BRA	51.3%	46.8%	55.8%	591
DOM	31.6%	23.2%	40.1%	303
KAZ	17.2%	5.5%	29.0%	128
LVA	38.8%	22.4%	55.1%	44
MUS	39.2%	33.0%	45.3%	294
MYS	37.6%	22.4%	52.8%	73
NAM	39.7%	29.0%	50.3%	144
RUS	16.3%	10.3%	22.3%	213
URY	60.2%	49.9%	70.5%	124
ZAF	40.5%	26.8%	54.2%	61
Total	46.2%	42.5%	49.9%	2,029
LMIC				
CHN	8.4%	-1.2%	17.9%	47
CIV	6.8%	-0.7%	14.3%	67
ECU	35.2%	20.7%	49.6%	102
GEO	30.5%	21.2%	39.7%	145
IND	40.7%	34.2%	47.2%	518
LKA	7.0%	-1.6%	15.5%	60
MAR	14.1%	6.8%	21.4%	304
PAK	17.2%	11.5%	22.8%	437
PHL	26.3%	19.2%	33.4%	239
PRY	33.6%	27.0%	40.2%	277
SWZ	58.6%	47.7%	69.6%	131
TUN	24.6%	18.9%	30.4%	313
UKR	23.1%	14.4%	31.8%	138
Total	26.3%	23.1%	29.4%	2,778
LIC				
BFA	7.5%	2.8%	12.2%	249
BGD	3.2%	1.5%	4.9%	411
COG	38.9%	23.1%	54.6%	138
COM	0.0%	0.0%	0.0%	7
GHA	9.8%	4.4%	15.2%	224
KEN	23.4%	12.9%	34.0%	284
LAO	34.9%	21.7%	48.1%	60
MLI	5.3%	-5.3%	16.0%	11
MRT	21.4%	11.0%	31.8%	74
MWI	1.5%	0.0%	3.1%	216
SEN	7.5%	-0.3%	15.3%	32
TCD	6.5%	3.0%	10.0%	227
VNM	0.0%	0.0%	0.0%	12
ZMB	9.7%	3.8%	15.6%	190
Total	7.1%	5.2%	9.1%	2,135
Overall	32.0%	29.8%	34.2%	7,870

Supplementary table 6. Estimated country-level proportions of ‘treated cases’ among ‘identified cases’ of depression during the past 12 months, grouped by economic development (World Bank criteria).

n= 2,342 nCo= 49 (47)					
	Prev	LCI	UCI	n	
HIC	CZE	60.2%	13.6%	106.8%	10
	ESP	88.4%	83.7%	93.1%	327
	EST	80.7%	62.6%	98.8%	25
	FIN	96.4%	89.5%	103.3%	25
	FRA	90.8%	76.7%	104.8%	23
	HRV	100.0%	100.0%	100.0%	19
	IRL	100.0%	100.0%	100.0%	10
	LUX	79.2%	61.0%	97.5%	19
	PRT	97.0%	92.5%	101.5%	57
	SVK	93.0%	78.7%	107.2%	9
	SWE	85.9%	68.7%	103.2%	44
	Total	89.7%	83.9%	95.5%	568
UMIC	BIH	85.3%	66.2%	104.4%	21
	BRA	71.3%	65.5%	77.0%	314
	DOM	65.9%	49.3%	82.4%	81
	KAZ	96.7%	89.9%	103.5%	15
	LVA	84.9%	69.8%	99.9%	18
	MUS	76.2%	67.8%	84.7%	120
	MYS	46.4%	20.4%	72.4%	23
	NAM	57.5%	40.0%	74.9%	52
	RUS	85.9%	75.5%	96.3%	39
	URY	84.4%	75.9%	93.0%	77
	ZAF	80.1%	64.9%	95.3%	27
	Total	72.2%	67.1%	77.2%	787
LMIC	CHN	14.6%	-15.1%	44.2%	5
	CIV	91.2%	72.7%	109.8%	5
	ECU	63.1%	42.6%	83.6%	41
	GEO	70.5%	52.7%	88.4%	42
	IND	22.0%	14.2%	29.9%	216
	LKA	55.6%	-7.4%	118.6%	7
	MAR	92.4%	82.8%	101.9%	38
	PAK	70.5%	52.4%	88.6%	63
	PHL	39.2%	23.8%	54.6%	57
	PRY	80.5%	70.4%	90.6%	90
	SWZ	54.1%	38.9%	69.4%	75
	TUN	63.8%	50.4%	77.2%	71
	UKR	52.8%	31.3%	74.2%	32
	Total	43.7%	36.9%	50.5%	742
LIC	BFA	40.6%	10.7%	70.4%	20
	BGD	29.2%	6.6%	51.8%	18
	COG	95.7%	89.9%	101.4%	39
	COM	NA	NA	NA	-
	GHA	22.4%	-6.0%	50.9%	17
	KEN	68.5%	48.0%	89.0%	71
	LAO	50.6%	27.1%	74.1%	20
	MLI	100.0%	100.0%	100.0%	1
	MRT	75.0%	50.1%	99.9%	17
	MWI	45.9%	-5.1%	96.9%	6
	SEN	100.0%	100.0%	100.0%	4
	TCD	47.9%	20.4%	75.4%	17
	VNM	NA	NA	NA	-
	ZMB	47.1%	14.9%	79.3%	15
	Total	50.6%	36.8%	64.4%	245
	Overall	65.7%	61.8%	69.6%	2,342

Supplementary table 7. Estimated country-level proportions of ‘treated cases’ of depression during the past 12 months, grouped by economic development (World Bank criteria).

n= 7.870
nCo= 49 (47)

		Prev	LCI	UCI	n
HIC	CZE	18,3%	3,4%	33,2%	33
	ESP	58,4%	52,6%	64,3%	472
	EST	33,0%	20,6%	45,3%	66
	FIN	69,9%	53,2%	86,6%	33
	FRA	68,5%	44,4%	92,6%	36
	HRV	40,8%	24,9%	56,7%	55
	IRL	65,8%	30,1%	101,4%	12
	LUX	52,8%	34,6%	71,0%	29
	PRT	64,0%	51,2%	76,7%	84
	SVK	6,8%	-1,0%	14,6%	51
	SWE	69,0%	48,2%	89,8%	57
	Tot	59,7%	50,2%	69,2%	928
UMIC	BIH	40,6%	20,8%	60,4%	54
	BRA	38,7%	34,3%	43,0%	591
	DOM	21,2%	13,9%	28,4%	303
	KAZ	16,7%	4,9%	28,4%	128
	LVA	35,5%	19,3%	51,7%	44
	MUS	30,1%	24,4%	35,8%	294
	MYS	19,9%	8,9%	30,9%	73
	NAM	23,3%	13,3%	33,4%	144
	RUS	15,6%	9,3%	22,0%	213
	URY	51,4%	41,0%	61,9%	124
	ZAF	32,4%	19,4%	45,4%	61
	Tot	35,2%	31,7%	38,8%	2.029
LMIC	CHN	1,2%	-1,2%	3,6%	47
	CIV	6,2%	-1,2%	13,7%	67
	ECU	23,7%	11,6%	35,8%	102
	GEO	21,5%	13,8%	29,2%	145
	IND	9,2%	5,6%	12,7%	518
	LKA	3,9%	-2,6%	10,4%	60
	MAR	14,3%	6,8%	21,9%	304
	PAK	13,3%	8,2%	18,5%	437
	PHL	10,3%	5,5%	15,1%	239
	PRY	27,0%	20,9%	33,1%	277
	SWZ	32,2%	20,6%	43,9%	131
	TUN	15,7%	11,0%	20,5%	313
	UKR	13,6%	7,3%	19,8%	138
	Tot	12,2%	9,8%	14,6%	2.778
LIC	BFA	3,0%	0,8%	5,3%	249
	BGD	0,9%	0,1%	1,7%	411
	COG	37,7%	21,8%	53,5%	138
	COM	0,0%	0,0%	0,0%	7
	GHA	2,2%	-1,1%	5,5%	224
	KEN	16,1%	6,3%	26,0%	284
	LAO	17,7%	7,1%	28,2%	60
	MLI	5,3%	-5,3%	16,0%	11
	MRT	16,1%	7,2%	24,9%	74
	MWI	0,7%	-0,4%	1,8%	216
	SEN	7,5%	-0,3%	15,3%	32
	TCD	3,1%	0,7%	5,5%	227
	VNM	0,0%	0,0%	0,0%	12
	ZMB	4,9%	0,6%	9,1%	190
	Tot	3,6%	2,1%	5,2%	2.135
	All	21,9%	19,8%	24,0%	7.870

Supplementary table 8. (1) Estimated proportions of ‘identified cases’, and (2) ‘treated cases’ among ‘identified cases’ of depression during the past 12 months, by group of economic development (World Bank criteria) using the dataset without missing data in any variable, and the whole dataset including cases with some missing data in co-variables.

(1) Proportions of ‘identified cases’ of depression during the past 12 months

	Not including cases with missing data				Including cases with missing data			
	Prev	LCI	UCI	n	Prev	LCI	UCI	n
HIC	66.4%	58.0%	74.8%	928	64.6%	56.5%	72.7%	1,174
UMIC	46.2%	42.5%	49.9%	2,029	47.3%	43.8%	50.8%	2,250
LMIC	26.3%	23.1%	29.4%	2,778	24.5%	21.7%	27.3%	3,986
LIC	7.1%	5.2%	9.1%	2,135	5.7%	4.4%	7.0%	3,456
Overall	32.0%	29.8%	34.2%	7,870	29.8%	27.7%	31.9%	10,866

(2) Proportions of ‘treated cases’ among ‘identified cases’ of depression during the past 12 months

	Not including cases with missing data				Including cases with missing data			
	Prev	LCI	UCI	n	Prev	LCI	UCI	n
HIC	89.7%	83.9%	95.5%	568	92.9%	89.1%	96.7%	700
UMIC	72.2%	67.1%	77.2%	787	73.3%	68.6%	77.9%	872
LMIC	43.7%	36.9%	50.5%	742	40.0%	34.4%	45.7%	962
LIC	50.6%	36.8%	64.4%	245	52.1%	40.5%	63.8%	348
Overall	65.7%	61.8%	69.6%	2,342	66.0%	62.4%	69.5%	2,882